



GM

X



wh 5 °



2.

20MΩ	0.5 19.99 MΩ	± (5%+5)
200MΩ	5.0 199.9 MΩ	± (5%+5)
2GΩ	0.05 1.999 GΩ	± (5%+5)
20GΩ	0.5 19.99 GΩ	± (5%+5)
200GΩ	5.0 199.9 GΩ	± (10%+10)
2000GΩ	50 1999 GΩ	± (20%+10)

MΩ 0.5kV

GΩ 2.5kV

2000GΩ

8kV

20GΩ

70%

3.

2mA(50/60Hz)

4.

19

59

20

15

60

5.

LCD

6.

1.2V/2000mAh

10

DC12V

50/60Hz

220V

7.

0 40

20 90%

8.

315 × 240 × 155mm 5kg

——

0-0.1-0.25-0.5-1-2.5-5-10-15-20KV

1. “ L ”

225

027-83267669

www.whhezi.com

4

whhezi@163.com

2. “G”

“G”

3. “E”

4.

“L”

5.

6. ;

7. ;

8.


9

10 kV


L-E

11. $M\Omega / G\Omega$

12. H



19 59






9,

‘ , ’


‘ kV ’

10,




v ’

0.00kV



		1
		1
		2
220V		1
	100M Ω 1000M Ω	1
		1
		1



φ

“

”

“

”

1

2

