


HZY-3S



HZY-3S

1 3

0.002 1mg KOH/g
± 0.005mg KOH/g
0.005mg KOH/g
10 45
85%RH
AC220V/50Hz
50W





1


2

220V


220V











20











BTB

20ml

BTB


BTB





100



0.15mol /L

)









样品测试

正在寻找一号杯位
请稍候...

2014-11-11 11:21:30 TUE

样品测试


校正密度器过油样密度：

油样杯：无油杯

广韵定数：

2014-11-11 11:22:40 TUE

10ml



10ml

样品测试

油样密度：

油样温度： 25°C

2014-11-11 11:22:40 UTC

样品测试

油样密度：

油样温度： 25°C

2014-11-11 11:22:40 UTC

样品测试

校正仪器油样密度：

滴定数目：


2014-11-11 11:22:40 TUE





- 1
- 2
- 3

— KOH



" LF"

5

" LF"

SEL



- 1
- 2
- 3
- 4
- 5



Ô " " " 9 2 \$ # p Ñ Æ S O ' < T \$ G ° Y 9 Æ h , D y p Ñ Ô ï ñ 0 S

1
2 Æ F s (T D E Ñ Æ h 0 W i f Æ

2

3

2

24

027-83267669

24

48

4

