



产品宗旨：技术领先，质量可靠，环保耐用

服务理念：快速响应，达到满意，超越期待



Hz-T

ê

DÛT ã
,μ -r@ *



产品宗旨：技术领先，质量可靠，环保耐用

服务理念：快速响应，达到满意，超越期待



1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

1

18

13.

USB

1-

16.

17. 3

18.

19.

20.

1.

10

0 200V™ rPa\$g


100A/500A

40A/2000A

0~A"



- 0.5 F.S.
- : 1 F.S.
- 0.2°
- 0.1
- 0.2
- 0.2
- 0.2
- 0.2
- 3. 10 ~ +40
- 4. AC220V 45Hz-55Hz
- 5. 3VA
- 6. 10
- 7.
- 1) 100M
- 2) 1.5KV 1
- 8. 320mm×240mm×130mm
- 9. 2.0Kg



4

UA UB UC UN 3

A

B C

232


225

5



5

CT



2013 1 12 20130112

11 45 07 114507

/

" "

/

1



5

" "

" "



P_h





产品宗旨：技术领先，质量可靠，价格公道

服务理念：快速响应，达到满意，超越期待

F5

49~64

Yn]






产品宗旨：技术领先，质量可靠，价值自用

服务理念：快速响应，达到满意，超过

3



A

A



产品宗旨：技术领先，质量可靠，价格公道

服务理念：快速响应，达到满意，超越期待



PT CT

" "

1

1 50

1 64


2

" "

1

2 64

2



A B C N


PT

B

Un

" "

2 64




A B C

A B C

A C

U2 u 3 3U0 U0 I0 I1


I2 i



#

Uc

V



B

C

B



产品宗旨：技术领先，质量可靠，价值自用

服务理念：快速响应，达到满意，超过



产品宗旨：技术领先，质量可靠，价值自用

服务理念：快速响应，达到满意，超越