



SF6

HZXL-Z

SF6

SF6

Mi ssan

Lebeau

1900

60

SF6

SF6

GI S

SF6

5

SF6

SF6

SF4 S2F2 SOF2 HF SO2

SF6

SF6

GI S

SF6

SF6

SF6

SF6

1000ppm

SF6

SF6

SF6

191

SF6

SF6

192

SF6

80%

SF6

SF6

1000ppm

196

SF6

15MIN

SF6

SF6

198

SF6

18%

SF6

225

027-83267669

199 SF6

SF6

203

SF6

SF6

SF6

SF6

SF6

SF6

50ppm

SF6


SF6

GI S

SF6

1

2





2

1

110kV

220kV

1

1

1

2

SF₆

2

1

1

1

50

1

30

1

3

1

1

4

1

5


1

6

6

e

RS485





- 12
- 13 SF₆ O₂
- 14
- 15
- 16
- 17

1 10

2 25 50
95%RH
7
86kPa 106kPa

3 SF₆
0 30000ppmv
1000ppm
0 2000ppm ± 3%FS 2000 30000ppm ± 2%FS
<5%FS
<5%FS
<5%FS

4 0 35%
18%
<0.4% O₂ 21%

5 -25 +99
0 99%RH
AC 220V DC 110V 220V
24V/48V/110V/220V 3A

: AC380/45A

15MIN

RS-485

>10M

>2000PR

GB/T17626.4-1999 3

GB/T17626.5-1999 3

1

SF₆

SF₆

2

3

SF₆

4

SF₆

0 30000PPM

SF₆

5



8

SF6

9

6

10

SF6

11

DC110V

DC220V

12

13

SF₆

14

10

SF₆

1

SF₆


2




3


4

DI LO



0






C1

5

380V 60A

300× 200× 16 mm






225



" " " "

1
2

1 2 3 4 5 6 7 8 9 10



ω

1.
2
1
2

